

Application	Hard Surfaces		Air Spaces		Cold Sterilization		Instruments post-op wash /disinfect		Skin & Mucous Membranes		Laundry		
√ = Recommended standard <b>Y</b> = F10 Compliant <b>N</b> = Non-compliant    □ = Not applicable													
<b>MINIMUM EFFICACY</b>													
• Gram positive bacteria: <i>Staphylococcus aureus</i>	√	<b>Y</b>				√	<b>Y</b>		√	<b>Y</b>		√	<b>Y</b>
• Gram negative bacteria: <i>Pseudomonas aeruginosa, Salmonella choleraesuis</i>	√	<b>Y</b>				√	<b>Y</b>		√	<b>Y</b>		√	<b>Y</b>
• Enveloped viruses: <i>Avian Influenza, Feline Herpesvirus</i>	√	<b>Y</b>				√	<b>Y</b>		√	<b>Y</b>		√	<b>Y</b>
• Non-enveloped viruses: <i>Canine Parvovirus</i>	√	<b>Y</b>				√	<b>Y</b>		√	<b>Y</b>		√	<b>Y</b>
• Yeasts and moulds: <i>Candida albicans</i>	√	<b>Y</b>				√	<b>Y</b>		√	<b>Y</b>		√	<b>Y</b>
• Fungi: <i>Aspergillus niger</i>	√	<b>Y</b>				√	<b>Y</b>		√	<b>Y</b>		√	<b>Y</b>
• Fungal spores: <i>Trichophyton mentagrophytes, Microsporum canis</i>	√	<b>Y</b>		√	<b>Y</b>	√	<b>Y</b>		√	<b>Y</b>		√	<b>Y</b>
• Bacterial spores: <i>Bacillus subtilis</i> spores	√	<b>Y</b>		√	<b>Y</b>	√	<b>Y</b>		√	<b>Y</b>		√	<b>Y</b>
• Sterility / Cold Sterilization: <i>Bacillus subtilis</i> spores						√	<b>Y</b>						
• Biofilm remover	√	<b>Y</b>											
• Were the tests carried out by an accredited laboratory?	√	<b>Y</b>		√	<b>Y</b>	√	<b>Y</b>		√	<b>Y</b>		√	<b>Y</b>
<b>TOXICITY</b>													
• Acute oral toxicity :> 5000mg/kg	√	<b>Y</b>											
• Acute dermal toxicity: > 5000mg/kg	√	<b>Y</b>											
• Inhalation toxicity: >20mg/litre	√	<b>Y</b>											
• Acute eye irritation: no irritation	√	<b>Y</b>											
• Acute dermal irritation: non irritating	√	<b>Y</b>											
• Skin sensitisation: not a sensitiser	√	<b>Y</b>											
• Tissue compatibility substantiated	√	<b>Y</b>											
• Residual build-up in organs or tissue	√	<b>Y</b>											
• Were the tests carried out by an accredited laboratory?	√	<b>Y</b>											
<b>SAFETY</b>													
• Non corrosive to all metals, plastics and rubber	√	<b>Y</b>											
• Can be used without the use of safety equipment/Protective clothing	√	<b>Y</b>											
• Can be used in the presence of animals / humans	√	<b>Y</b>											
• Were the tests carried out by an accredited laboratory?	√	<b>Y</b>											
• Does not contain aldehydes or chlorine	√	<b>Y</b>											
<b>ACCREDITATION AND REGISTRATION</b>													
• Assessed by National Regulatory Authorities	√	<b>Y</b>											
<b>QUALITY ASSURANCE</b>													
• Good Manufacturing Practice license *	√	<b>Y</b>											
• Independent QA audits	√	<b>Y</b>											
• Other, e.g. ISO 9001 **	√	<b>Y</b>											
<b>SPECIAL APPLICATIONS</b>													
• Equipment manufacturers – Endoscopes	√	<b>Y</b>											
• Aerosol product validation	√	<b>Y</b>											
• Gamma radiation applications validation	√	<b>Y</b>											
• Electronic vaporiser use validation	√	<b>Y</b>											

\* GMP encompasses ISO 9001    \*\* ISO 9001 does not cover all aspects of GMP



Health and Hygiene

Health and Hygiene (Pty) Ltd  
PO Box 906, Florida Hills 1716, South Africa  
Tel: +27 11 474 1668 • Fax: +27 11 474 1670 • www.healthandhygiene.co.za